





No. Z2 070321 0147 Rev. 03

**Holder of Certificate:** Trina Solar Co., Ltd.


No. 2 TianHe Road, Trina PV Industrial Park

**New District** 

213031 Changzhou City, Jiangsu Province

PEOPLE'S REPUBLIC OF CHINA

**Certification Mark:** 



Crystalline Silicon Terrestrial Photovoltaic (PV) Modules **Product:** 

Poly & Mono Crystalline Silicon Photovoltaic modules

The product was tested on a voluntary basis and complies with the essential requirements. The certification mark shown above can be affixed on the product. It is not permitted to alter the certification mark in any way. In addition, the certification holder must not transfer the certificate to third parties. This certificate is valid until the listed date, unless it is cancelled earlier. All applicable requirements of the testing and certification regulations of TÜV SÜD Group have to be complied. For details see: www.tuvsud.com/ps-cert

Test report no.: 704062210707-03

Valid until: 2027-09-05

Date, 2022-09-16

(Zhulin Zhang)



No. Z2 070321 0147 Rev. 03

Model(s):

mono series with 157 x 157 (mm) solar cells:

72 cells:

TSM-xxxDE14A(II), TSM-xxxDE14A.05(II), TSM-xxxDE14A.08(II), TSM-xxxDE14A.09(II), TSM-xxxDE14A.T0(II), TSM-xxxDE14A.T8(II),

TSM-xxxDE14A.T9(II) (xxx=330-390, in steps of 5).

TSM-xxxDE14B(II), TSM-xxxDE14B.05(II), TSM-xxxDE14B.08(II), TSM-xxxDE14B.09(II), TSM-xxxDE14B.T8(II),

TSM-xxxDE14B.T9(II) (xxx=330-385, in steps of 5)

60 cells:

TSM-xxxDE05A.09(II), TSM-xxxDE05A.T0(II), TSM-xxxDE05A.T8(II), TSM-xxxDE05A.T9(II)

(xxx=275-325, in steps of 5)

mono series with 158.75 x 158.75 (mm) solar cells:

72 cells

TSM-xxxDE15A(II), TSM-xxxDE15A.05(II), TSM-xxxDE15A.08(II), TSM-xxxDE15A.09(II), TSM-xxxDE15A.T0(II), TSM-xxxDE15A.T8(II),

TSM-xxxDE15A.T9(II)

(xxx=330-385, in steps of 5)

TSM-xxxDE15B(II), TSM-xxxDE15B.05(II), TSM-xxxDE15B.08(II),

TSM-xxxDE15B.09(II), TSM-xxxDE15B.T0(II), TSM-xxxDE15B.T8(II),

TSM-xxxDE15B.T9(II)

(xxx=330-385, in steps of 5)

60 cells:

TSM-xxxDE06A(II), TSM-xxxDE06A.05(II), TSM-xxxDE06A.08(II),

 ${\tt TSM-xxxDE06A.09(II),\,TSM-xxxDE06A.T0(II),\,TSM-xxxDE06A.T8(II),}$ 

TSM-xxxDE06A.T9(II)

(xxx=275-325, in steps of 5)

mono series with 157 x 78.5 (mm) half cutting cells:

144 cells:

TSM-xxxDE14H(II), TSM-xxxDE14H.05(II), TSM-xxxDE14H.08(II),

TSM-xxxDE14H.09(II), TSM-xxxDE14H.T0(II), TSM-xxxDE14H.T8(II),

TSM-xxxDE14H.T9(II) (xxx=330-395, in steps of 5).

TSM-xxxDE14HB(II), TSM-xxxDE14HB.05(II), TSM-xxxDE14HB.08(II),

TSM-xxxDE14HB.09(II), TSM-xxxDE14HB.T0(II), TSM-xxxDE14HB.T8(II), TSM-xxxDE14HB.T9(II)

(xxx=330-395, in steps of 5)

120 cells:

TSM-xxxDE05H(II), TSM-xxxDE05H.05(II), TSM-xxxDE05H.08(II),

TSM-xxxDE05H.09(II), TSM-xxxDE05H.T0(II), TSM-xxxDE05H.T8(II),

TSM-xxxDE05H.T9(II)

(xxx=275-335, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting cells:

144 cells:

TSM-xxxDE15H(II), TSM-xxxDE15H.05(II), TSM-xxxDE15H.08(II),

TSM-xxxDE15H.09(II), TSM-xxxDE15H.T0(II), TSM-xxxDE15H.T8(II),

TSM-xxxDE15H.T9(II)

(xxx=330-425, in steps of 5)

TSM-xxxDE15HB(II), TSM-xxxDE15HB.05(II), TSM-xxxDE15HB.08(II),

TSM-xxxDE15HB.09(II), TSM-xxxDE15HB.T0(II), TSM-xxxDE15HB.T8(II),

TSM-xxxDE15HB.T9(II)

(xxx=330-425, in steps of 5)

120 cells:

TSM-xxxDE06H(II), TSM-xxxDE06H.05(II), TSM-xxxDE06H.08(II),

TSM-xxxDE06H.09(II), TSM-xxxDE06H.T0(II), TSM-xxxDE06H.T8(II),

TSM-xxxDE06H.T9(II)

(xxx=275-350, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting MBB cells:

TSM-xxxDE15M(II), TSM-xxxDE15M.05(II), TSM-xxxDE15M.08(II), TSM-xxxDE15M.09(II), TSM-xxxDE15M.T0(II), TSM-xxxDE15M.T8(II), TSM-xxxDE15M.T9(II)

(xxx=330-420, in steps of 5)

TSM-xxxDE15MB(II), TSM-xxxDE15MB.05(II), TSM-xxxDE15MB.08(II), TSM-xxxDE15MB.09(II), TSM-xxxDE15MB.T0(II), TSM-xxxDE15MB.T8(II),

TÜV®



No. Z2 070321 0147 Rev. 03

```
TSM-xxxDE15MB.T9(II)
(xxx=330-420, in steps of 5)
TSM-xxxDE06M(II), TSM-xxxDE06M.05(II), TSM-xxxDE06M.08(II),
{\sf TSM\text{-}xxxDE06M.09(II),\,TSM\text{-}xxxDE06M.T0(II),\,TSM\text{-}xxxDE06M.T8(II),}
TSM-xxxDE06M.T9(II)
(xxx=275-350, in steps of 5)
120 cells:
TSM-xxxDE151M(II), TSM-xxxDE151M.08(II), TSM-xxxDE151M.09(II),
TSM-xxxDE151M.T0(II), TSM-xxxDE151M.T8(II), TSM-xxxDE151M.T9(II),
TSM-xxxDE151M.05(II)
(xxx=300-350, in steps of 5)
96 cells:
TSM-xxxDE061M(II), TSM-xxxDE061M.08(II), TSM-xxxDE061M.09(II),
TSM-xxxDE061M.T0(II), TSM-xxxDE061M.T8(II), TSM-xxxDE061M.T9(II), TSM-
xxxDE061M.05(II), TSM-xxxDE061M.10(II), TSM-xxxDE061M.18(II)
(xxx=240-280, in steps of 5)
mono series with 166 x 83 (mm) half cutting MBB cells:
144 cells:
TSM-xxxDE17M(II), TSM-xxxDE17M.05(II), TSM-xxxDE17M.08(II),
TSM-xxxDE17M.09(II), TSM-xxxDE17M.T0(II), TSM-xxxDE17M.T8(II),
TSM-xxxDE17M.T9(II)
(xxx=390-465, in steps of 5)
120 cells:
TSM-xxxDE08M(II), TSM-xxxDE08M.05(II), TSM-xxxDE08M.08(II),
TSM-xxxDE08M.09(II), TSM-xxxDE08M.T0(II), TSM-xxxDE08M.T8(II),
TSM-xxxDE08M.T9(II)
(xxx=335-385, in steps of 5)
110 cells:
TSM-xxxDE171H(II) (xxx=315-350, in steps of 5)
mono series with 166 x 83 (mm) half cutting MBB cells:
TSM-xxxDE081M(II), TSM-xxxDE081M.05(II), TSM-xxxDE081M.08(II),
TSM-xxxDE081M.09(II), TSM-xxxDE081M.T0(II), TSM-xxxDE081M.T8(II),
TSM-xxxDE081M.T9(II)
(xxx=265-295, in steps of 5)
mono series with 182 x 91 (mm) half cutting bifacial MBB cells:
TSM-xxxDE18, TSM-xxxDE18.05, TSM-xxxDE18.08, TSM-xxxDE18.09,
TSM-xxxDE18.T0, TSM-xxxDE18.T8, TSM-xxxDE18.T9,
TSM-xxxDE18.60 (xxx=515-555, in steps of 5)
120 cells:
TSM-xxxDE10, TSM-xxxDE10.05, TSM-xxxDE10.08, TSM-xxxDE10.09,
TSM-xxxDE10.T0, TSM-xxxDE10.T8, TSM-xxxDE10.T9
(xxx=430-455, in steps of 5)
108 cells:
TSM-xxxDE11, TSM-xxxDE11.08, TSM-xxxDE11.09, TSM-xxxDE11.T0,
TSM-xxxDE11.T8, TSM-xxxDE11.T9, TSM-xxxDE11.05, TSM-xxxDE11C,
TSM-xxxDE11C.05, TSM-xxxDE11C.07
(xxx=390-415, in steps of 5)
mono series with 210 x 105 (mm) half cutting bifacial MBB cells:
120 cells:
TSM-xxxDE20, TSM-xxxDE20.05, TSM-xxxDE20.08, TSM-xxxDE20.09,
TSM-xxxDE20.T0, TSM-xxxDE20.T8, TSM-xxxDE20.T9,
TSM-xxxDE20.B0, TSM-xxxDE20.B5, TSM-xxxDE20.B8,
TSM-xxxDE20.60, TSM-xxxDE20.68, TSM-xxxDE20.00S,
TSM-xxxDE20.60S, TSM-xxxDE20.68S
(xxx=575-610, in steps of 5)
110 cells:
TSM-xxxDE19, TSM-xxxDE19.05, TSM-xxxDE19.08, TSM-xxxDE19.09,
TSM-xxxDE19.T0, TSM-xxxDE19.T8, TSM-xxxDE19.T9,
```

TSM-xxxDE19.60S, TSM-xxxDE19.68S

(xxx=500-560, in steps of 5)

132 cells:

TSM-xxxDE19.B0, TSM-xxxDE19.B5, TSM-xxxDE19.B8, TSM-xxxDE19.60, TSM-xxxDE19.68, TSM-xxxDE19.00S,



No. Z2 070321 0147 Rev. 03

TSM-xxxDE21, TSM-xxxDE21.05, TSM-xxxDE21.08, TSM-xxxDE21.09, TSM-xxxDE21.T0, TSM-xxxDE21.T8, TSM-xxxDE21.T9
TSM-xxxDE21.60, TSM-xxxDE21.68, TSM-xxxDE21.00S, TSM-xxxDE21.68S
(xxx=635-675, in steps of 5)

mono series with 210 x 105 (mm) half cutting bifacial cells and transparent backsheet:

110 cells:

TSM-xxxDE19C, TSM-xxxDE19C.08 (xxx=500-560, in steps of 5)

mono series with 182 x 105 (mm) cutting bifacial MBB cells:

TSM-xxxDE19R, TSM-xxxDE19R.08, TSM-xxxDE19R.09, TSM-xxxDE19R.T0, TSM-xxxDE19R.T8, TSM-xxxDE19R.T9, TSM-xxxDE19R.05, TSM-xxxDE19R.00S (xxx=550-605, in steps of 5)

mono series with 182 x 70 (mm) 1/3 cutting bifacial MBB cells: 144 cells:

TSM-xxxDE09R, TSM-xxxDE09R.08, TSM-xxxDE09R.09, TSM-xxxDE09R.T0, TSM-xxxDE09R.T8, TSM-xxxDE09R.T9, TSM-xxxDE09R.05, TSM-xxxDE09R.B0, TSM-xxxDE09R.B5, TSM-xxxDE09R.B8, TSM-xxxDE09R.00S, TSM-xxxDE09R.08S, TSM-xxxDE09R.05S, TSM-xxxDE09R.B0S, TSM-xxxDE09R.B8S, TSM-xxxDE09R.B5S (xxx=395-440, in steps of 5)

mono series with 158.75 x 52.92 (mm) 1/3 cutting bifacial MBB cells: 252 cells:

TSM-xxxDE15V(II), TSM-xxxDE15V.05(II), TSM-xxxDE15V.08(II), TSM-xxxDE15V.09(II), TSM-xxxDE15V.T0(II), TSM-xxxDE15V.T8(II), TSM-xxxDE15V.T9(II) (xxx=465-490, in steps of 5)

mono series with 210 x 70 (mm) 1/3 cutting bifacial MBB cells:

TSM-xxxDE18M(II), TSM-xxxDE18M.05(II), TSM-xxxDE18M.08(II), TSM-xxxDE18M.09(II), TSM-xxxDE18M.T0(II), TSM-xxxDE18M.T8(II), TSM-xxxDE18M.T9(II), TSM-xxxDE18M.B5(II), TSM-xxxDE18M.B8(II), TSM-xxxDE18M.60(II), TSM-xxxDE18M.68(II), TSM-xxxDE18M.00S(II), TSM-xxxDE18M.08S(II), TSM-xxxDE18M.68S(II) (xxx=470-520, in steps of 5) 120 cells:

TSM-xxxDE09, TSM-xxxDE09.05, TSM-xxxDE09.08, TSM-xxxDE09.09, TSM-xxxDE09.T0, TSM-xxxDE09.T8, TSM-xxxDE09.T9, TSM-xxxDE09.B0, TSM-xxxDE09.B5, TSM-xxxDE09.B8, TSM-xxxDE09.00S, TSM-xxxDE09.05S, TSM-xxxDE09.08S (xxx=375-415, in steps of 5)

mono series with 210 x 70 (mm) 1/3 cutting bifacial MBB cells and transparent backsheet:

120 cells:

TSM-xxxDE09C.05, TSM-xxxDE09C.07 (xxx=375-415, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting MBB cells (for cells splicing technology):

156 cells:

TSM-xxxDE15X(II), TSM-xxxDE15X.05(II), TSM-xxxDE15X.08(II), TSM-xxxDE15X.09(II), TSM-xxxDE15X.T0(II), TSM-xxxDE15X.T8(II), TSM-xxxDE15X.T9(II)

(xxx=405-435, in steps of 5)

132 cells:

TSM-xxxDE06X(II), TSM-xxxDE06X.05(II), TSM-xxxDE06X.08(II), TSM-xxxDE06X.09(II), TSM-xxxDE06X.T0(II), TSM-xxxDE06X.T8(II), TSM-xxxDE06X.T9(II) (xxx=345-375, in steps of 5)





No. Z2 070321 0147 Rev. 03

mono series with 158.75 x 79.375 (mm) half cutting bifacial cells and transparent backsheet:

132 cells

TSM-xxxDE06XC(II), TSM-xxxDE06XC.05(II), TSM-xxxDE06XC.08(II), TSM-xxxDE06XC.09(II), TSM-xxxDE06XC.07(II) (xxx=355-380, in steps of 5)

mono series with 166 x 83 (mm) half cutting MBB cells (for cells splicing technology):

156 cells:

TSM-xxxDE17X(II), TSM-xxxDE17X.05(II), TSM-xxxDE17X.08(II), TSM-xxxDE17X.09(II), TSM-xxxDE17X.T0(II), TSM-xxxDE17X.T8(II), TSM-xxxDE17X.T9(II) (xxx=450-485, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting N type MBB cell:

TSM-xxxNE15M(II), TSM-xxxNE15M.05(II), TSM-xxxNE15M.08(II), TSM-xxxNE15M.09(II), TSM-xxxNE15M.T0(II), TSM-xxxNE15M.T8(II), TSM-xxxNE15M.T9(II)

(xxx=375-430, in steps of 5)

120 cells:

TSM-xxxNE06M(II), TSM-xxxNE06M.05(II), TSM-xxxNE06M.08(II), TSM-xxxNE06M.09(II), TSM-xxxNE06M.T0(II), TSM-xxxNE06M.T8(II), TSM-xxxNE06M.T9(II) (xxx=315-355, in steps of 5)

mono series with 161.7 x 80.85 (mm) half cutting N type MBB cell:

TSM-xxxNE16M(II), TSM-xxxNE16M.05(II), TSM-xxxNE16M.08(II), TSM-xxxNE16M.09(II), TSM-xxxNE16M.T0(II), TSM-xxxNE16M.T8(II), TSM-xxxNE16M.T9(II) (xxx=375-405, in steps of 5)

120 cells: TSM-xxxNE07M(II), TSM-xxxNE07M.05(II), TSM-xxxNE07M.08(II), TSM-xxxNE07M.09(II), TSM-xxxNE07M.T0(II), TSM-xxxNE07M.T8(II), TSM-xxxNE07M.T9(II) (xxx=315-335, in steps of 5)

mono series with 210 x 105 (mm) half cutting bifacial N type MBB cells: 132 cells:

TSM-xxxNE21, TSM-xxxNE21.05, TSM-xxxNE21.08, TSM-xxxNE21.09, TSM-xxxNE21.T0, TSM-xxxNE21.T8, TSM-xxxNE21.T9 (xxx=645-675, in steps of 5) 120 cells:

TSM-xxxNE20, TSM-xxxNE20.05, TSM-xxxNE20.08, TSM-xxxNE20.09, TSM-xxxNE20.T0, TSM-xxxNE20.T8, TSM-xxxNE20.T9 (xxx=590-610, in steps of 5)

110 cells:

TSM-xxxNE19, TSM-xxxNE19.05, TSM-xxxNE19.08, TSM-xxxNE19.09, TSM-xxxNE19.T0, TSM-xxxNE19.T8, TSM-xxxNE19.T9 (xxx=540-560, in steps of 5)

mono series with 210 x 70 (mm) 1/3 cutting bifacial N type MBB cells: 150 cells:

TSM-xxxNE18M(II), TSM-xxxNE18M.05(II), TSM-xxxNE18M.08(II), TSM-xxxNE18M.09(II), TSM-xxxNE18M.T0(II), TSM-xxxNE18M.T8(II), TSM-xxxNE18M.T9(II) (xxx=490-530, in steps of 5) 120 cells:

TSM-xxxNE09, TSM-xxxNE09.05, TSM-xxxNE09.08, TSM-xxxNE09.09, TSM-xxxNE09.T0, TSM-xxxNE09.T8, TSM-xxxNE09.T9 (xxx=395-420, in steps of 5)

mono series with 158.75 x 79.375 (mm) half cutting N type MBB cells (for cells splicing technology):

156 cells:

TSM-xxxNE15X(II), TSM-xxxNE15X.05(II), TSM-xxxNE15X.08(II), TSM-xxxNE15X.09(II), TSM-xxxNE15X.T0(II), TSM-xxxNE15X.T8(II), TSM-xxxNE15X.T9(II) (xxx=405-435, in steps of 5) 132 cells:





No. Z2 070321 0147 Rev. 03

TSM-xxxNE06X(II), TSM-xxxNE06X.05(II), TSM-xxxNE06X.08(II), TSM-xxxNE06X.09(II), TSM-xxxNE06X.T0(II), TSM-xxxNE06X.T8(II), TSM-xxxNE06X.T9(II) (xxx=345-390, in steps of 5)

poly series with 157 x 157 (mm) solar cells:

TSM-xxxPE14A, TSM-xxxPE14A.08, TSM-xxxPE14A.09, TSM-xxxPE14A(II), TSM-xxxPE14A.08(II), TSM-xxxPE14A.09(II), TSM-xxxPE14A.T0, TSM-xxxPE14A.T8, TSM-xxxPE14A.T9, TSM-xxxPE14A.T0(II), TSM-xxxPE14A.T8(II), TSM-xxxPE14A.T9(II) (xxx=305-360, in steps of 5)

TSM-xxxPE14B, TSM-xxxPE14B.08, TSM-xxxPE14B.09, TSM-xxxPE14B(II), TSM-xxxPE14B.08(II), TSM-xxxPE14B.09(II), TSM-xxxPE14B.T0, TSM-xxxPE14B.T8, TSM-xxxPE14B.T9, TSM-xxxPE14B.T0(II), TSM-xxxPE14B.T8(II), TSM-xxxPE14B.T9(II) (xxx=305-360, in steps of 5) 60 cells:

TSM-xxxPE05A, TSM-xxxPE05A.08, TSM-xxxPE05A.09, TSM-xxxPE05A(II), TSM-xxxPE05A.08(II), TSM-xxxPE05A.09(II), TSM-xxxPE05A.T0, TSM-xxxPE05A.T8, TSM-xxxPE05A.T9, TSM-xxxPE05A.T0(II), TSM-xxxPE05A.T8(II), TSM-xxxPE05A.T9(II) (xxx=255-300, in steps of 5)

poly series with 158.75 x 158.75 (mm) solar cells: 72 cells:

TSM-xxxPE15A, TSM-xxxPE15A.08, TSM-xxxPE15A.09, TSM-xxxPE15A(II), TSM-xxxPE15A.08(II), TSM-xxxPE15A.09(II), TSM-xxxPE15A.T0, TSM-xxxPE15A.T8, TSM-xxxPE15A.T9, TSM-xxxPE15A.T0(II), TSM-xxxPE15A.T8(II), TSM-xxxPE15A.T9(II) (xxx=305-360, in steps of 5)

TSM-xxxPE15B, TSM-xxxPE15B.08, TSM-xxxPE15B.09, TSM-xxxPE15B(II), TSM-xxxPE15B.08(II), TSM-xxxPE15B.09(II), TSM-xxxPE15B.T0, TSM-xxxPE15B.T8, TSM-xxxPE15B.T9, TSM-xxxPE15B.T0(II), TSM-xxxPE15B.T8(II), TSM-xxxPE15B.T9(II) (xxx=305-360, in steps of 5) 60 cells:

TSM-xxxPE06A, TSM-xxxPE06A.08, TSM-xxxPE06A.09, TSM-xxxPE06A(II), TSM-xxxPE06A.08(II), TSM-xxxPE06A.09(II), TSM-xxxPE06A.T0, TSM-xxxPE06A.T8, TSM-xxxPE06A.T9, TSM-xxxPE06A.T0(II), TSM-xxxPE06A.T8(II), TSM-xxxPE06A.T9(II) (xxx=255-300, in steps of 5)

poly series with 157 x 78.5 (mm) half cutting cells: 144 cells:

TSM-xxxPE14H, TSM-xxxPE14H.08, TSM-xxxPE14H.09, TSM-xxxPE14H(II), TSM-xxxPE14H.08(II), TSM-xxxPE14H.09(II), TSM-xxxPE14H.T0, TSM-xxxPE14H.T8, TSM-xxxPE14H.T9, TSM-xxxPE14H.T9(II), TSM-xxxPE14H.T9(II), TSM-xxxPE14H.T9(II) (xxx=320-360, in steps of 5)

TSM-xxxPE14HB, TSM-xxxPE14HB.08, TSM-xxxPE14HB.09, TSM-xxxPE14HB(II), TSM-xxxPE14HB.08(II), TSM-xxxPE14HB.09(II), TSM-xxxPE14HB.T0, TSM-xxxPE14HB.T8, TSM-xxxPE14HB.T9, TSM-xxxPE14HB.T0(II), TSM-xxxPE14HB.T8(II), TSM-xxxPE14HB.T9(II) (xxx=320-360, in steps of 5) 120 cells:

TSM-xxxPE05H, TSM-xxxPE05H.08, TSM-xxxPE05H.09, TSM-xxxPE05H(II), TSM-xxxPE05H.08(II), TSM-xxxPE05H.09(II), TSM-xxxPE05H.T0, TSM-xxxPE05H.T8, TSM-xxxPE05H.T9, TSM-xxxPE05H.T0(II), TSM-xxxPE05H.T8(II), TSM-xxxPE05H.T9(II) (xxx=270-300, in steps of 5)

poly series with 158.75 x 79.375 (mm) half cutting cells: 144 cells:

TSM-xxxPE15H, TSM-xxxPE15H.08, TSM-xxxPE15H.09, TSM-xxxPE15H(II), TSM-xxxPE15H.08(II), TSM-xxxPE15H.09(II), TSM-xxxPE15H.T0, TSM-xxxPE15H.T8, TSM-xxxPE15H.T9, TSM-xxxPE15H.T0(II), TSM-xxxPE15H.T8(II), TSM-xxxPE15H.T9(II) (xxx=320-405, in steps of 5) TSM-xxxPE15HB, TSM-xxxPE15HB.08, TSM-xxxPE15HB.09,





No. Z2 070321 0147 Rev. 03

TSM-xxxPE15HB(II), TSM-xxxPE15HB.08(II), TSM-xxxPE15HB.09(II), TSM-xxxPE15HB.T0, TSM-xxxPE15HB.T8, TSM-xxxPE15HB.T9, TSM-xxxPE15HB.T0(II), TSM-xxxPE15HB.T8(II), TSM-xxxPE15HB.T9(II) (xxx=320-390, in steps of 5) 120 cells:

TSM-xxxPE06H, TSM-xxxPE06H.08, TSM-xxxPE06H.09, TSM-xxxPE06H(II), TSM-xxxPE06H.08(II), TSM-xxxPE06H.09(II), TSM-xxxPE06H.T0, TSM-xxxPE06H.T8, TSM-xxxPE06H.T9, TSM-xxxPE06H.T0(II), TSM-xxxPE06H.T8(II), TSM-xxxPE06H.T9(II) (xxx=270-335, in steps of 5)

poly series with 158.75 x 79.375 (mm) half cutting MBB cells: 144 cells:

TSM-xxxPE15M, TSM-xxxPE15M.08, TSM-xxxPE15M.09, TSM-xxxPE15M.T0, TSM-xxxPE15M.T8, TSM-xxxPE15M.T9, TSM-xxxPE15M[II], TSM-xxxPE15M.08(II), TSM-xxxPE15M.09(II), TSM-xxxPE15M.T0(II), TSM-xxxPE15M.T8(II), TSM-xxxPE15M.T9(II) (xxx=320-405, in steps of 5) 120 cells:

TSM-xxxPE06M, TSM-xxxPE06M.08, TSM-xxxPE06M.09, TSM-xxxPE06M.T0, TSM-xxxPE06M.T8, TSM-xxxPE06M.T9, TSM-xxxPE06M(II), TSM-xxxPE06M.08(II), TSM-xxxPE06M.09(II), TSM-xxxPE06M.T0(II), TSM-xxxPE06M.T8(II), TSM-xxxPE06M.T9(II) (xxx=270-335, in steps of 5)

poly series with 166 x 83 (mm) half cutting MBB cells: 144 cells:

TSM-xxxPE17M, TSM-xxxPE17M.08, TSM-xxxPE17M.09, TSM-xxxPE17M.T0, TSM-xxxPE17M.T8, TSM-xxxPE17M.T9, TSM-xxxPE17M(II), TSM-xxxPE17M.08(II), TSM-xxxPE17M.09(II), TSM-xxxPE17M.T0(II), TSM-xxxPE17M.T8(II), TSM-xxxPE17M.T9(II) (xxx=410-445, in steps of 5) 120 cells:

TSM-xxxPE08M, TSM-xxxPE08M.08, TSM-xxxPE08M.09, TSM-xxxPE08M.T0, TSM-xxxPE08M.T8, TSM-xxxPE08M.T9, TSM-xxxPE08M[II], TSM-xxxPE08M.08(II), TSM-xxxPE08M.09(II), TSM-xxxPE08M.T0(II), TSM-xxxPE08M.T8(II), TSM-xxxPE08M.T9(II) (xxx=335-365, in steps of 5)

xxx stands for rated output power at STC

#### **Parameters:**

Safety Class: Class II
Max. system voltage: 1500V DC

Construction: Framed, with Junction box, cable and connector.

PID test condition: ±1500 V, 192 Hours, 85 °C, 85 % RH Remark: PID testing method: PID test is according to test method

a of IEC TS 62804-1:2015

Tested PPP 58042B:2015 IEC 61215-1:2016 IEC 61215-1-1:2016 IEC 61215-2:2016

IEC 61730-1:2016 IEC 61730-2:2016